

INORGANICS SUBSTANCES (Once a year)

2017

PARAMETERS	MAC (mg / L)	
Antimony	0,006	
Arsenic (As)	0,010	
Barium (Ba)	1,0	
Boron (B)	5,0	
Cadmium (Cd)	0,005	<
Chromium total (Cr)	0,050	
Copper (Cu)	1,000	
Cyanide (CN)	0,20	<
Fluoruride (F)	1,50	
Mercury (Hg)	0,001	<
Lead (Pb)	0,01	
Selenium (Se)	0,010	<
Uranium (U)	0,020	

INORGANICS SUBSTANCES (4 times per year)

	CMA	2017-02-13	2017-05-15		
Nitrates + Nitrites (mg/L as N)	10,0	0,27	0,25		
pH	6,5 - 8,5	7,6	7,6		

TURBIDITY (Once a month)

	MAC UTN	Baie D'Urfé Network	Beaconsfield Network	Kirkland Network	Pointe-Claire Network	DDO Network
2017-01-09	5,0	0,11	0,54	0,39	0,18	0,22
2017-02-06	5,0	0,36	0,59	0,18	0,13	0,16
2017-03-13	5,0	0,13	0,16	1,61	0,22	0,36
2017-04-10	5,0	0,16	0,25	0,83	0,21	0,38
2017-05-15	5,0	0,36	0,25	0,52	0,16	0,35
2017-06-12	5,0	0,21	0,13	0,21	0,35	1,46
2017-07-10	5,0	0,14	0,15	0,44	0,20	0,35
	5,0					
	5,0					
	5,0					
	5,0					
	5,0					

MAC: Maximum Acceptable Concentration by MDDELCC.